

T. Number	11244	Convola Mout		I milma ataum
L Number	Hits 2766	Search Text 382/173,190,195,198,201,293,29,295.ccls.	DB USPAT;	Time stamp
1	2/66	382/1/3,190,195,198,201,293,29,295.CC1S.		2004/05/21 10:27
	İ		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		200/172 100 105 100 001 000 00 005	IBM_TDB	0004/05/04 10 05
2	775		USPAT;	2004/05/21 10:28
		and (reference or model or ideal) with	US-PGPUB;	
		(position or region or area)	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
3	167		USPAT;	2004/05/21 10:29
		and (reference or model or ideal) with	US-PGPUB;	·
		(position or region or area) with	EPO; JPO;	
		(extract\$4)	DERWENT;	
			IBM_TDB	
4	15	, , , , , , , ,	USPAT;	2004/05/21 10:42
	1	and (reference or model or ideal) with	US-PGPUB;	
		(position or region or area) with	EPO; JPO;	
		(extract\$4) with (document)	DERWENT;	
			IBM TDB	
5	14	382/173,190,195,198,201,293,29,295.ccls.	USPAT;	2004/05/21 10:46
		and (reference or model or ideal) with	US-PGPUB;	
		(position or region or area) with	EPO; JPO;	
		(extract\$4) with (correct\$4)	DERWENT;	
		(00020041)	IBM TDB	
6	14	382/173,190,195,198,201,293,29,295.ccls.	USPAT;	2004/05/21 10:50
•		and (reference or model or ideal) with	US-PGPUB;	2004/05/21 10,50
		(position or region or area) with	EPO; JPO;	
		(extract\$4) with (shift\$4 or translat\$4 or	DERWENT;	
		mov\$4)		
8	0		IBM_TDB USPAT;	2004/05/21 10-51
0	"		1	2004/05/21 10:51
-	1	and extract\$4 with page with common	US-PGPUB;	
	-		EPO; JPO;	
			DERWENT;	
	0	202/172 100 105 100 001 002 00 0051-	IBM_TDB	0004/05/01 10 54
9	1	,,,,,,,	USPAT;	2004/05/21 10:51
		and extract\$4 with page with common\$4	US-PGPUB;	
			EPO; JPO;	
]	1		DERWENT;	
1.0		200/172 100 105 100 001 002 00 005	IBM_TDB	
10	0	=, =,,,,,,	USPAT;	2004/05/21 10:51
		and extract\$4 with pages with common\$4	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
l		200/172 100 107 100 001 000 00	IBM_TDB	
11	48	382/173,190,195,198,201,293,29,295.ccls.	USPAT;	2004/05/21 10:52
		and extract\$4 with pages	US-PGPUB;	
	ŀ		EPO; JPO;	
[DERWENT;	1
1,,	_	200/172 100 105 100 001 005 00 005	IBM_TDB	000.465.455
12	1 0	382/173,190,195,198,201,293,29,295.ccls.	USPAT;	2004/05/21 10:52
, ,		and extract\$4 with pages with frequent	US-PGPUB;	
]			EPO; JPO;	
	1		DERWENT;	
_	1		IBM_TDB	
7	48	382/173,190,195,198,201,293,29,295.ccls.	USPAT;	2004/05/21 10:53
		and extract\$4 with page	US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
13	3	382/173,190,195,198,201,293,29,295.ccls.	USPĀT;	2004/05/21 10:54
		and extract\$4 with page with (reference or	US-PGPUB;	
		correct\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
14	2	382/173,190,195,198,201,293,29,295.ccls.	USPĀT;	2004/05/21 10:56
		and extract\$4 with page with reference	US-PGPUB;	
		- · ·	EPO; JPO;	
			DERWENT;	
[IBM TDB	
				·

			.	
15	385	extract\$4 with page with reference	USPAT; US-PGPUB;	2004/05/21 10:56
			EPO; JPO; DERWENT; IBM TDB	
16	. 1	extract\$4 with page with reference with correct\$4	USPAT; US-PGPUB; EPO; JPO;	2004/05/21 10:57
17	30	extract\$4 with (page or document) with reference with correct\$4	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/21 10:57
18	40	extract\$4 with (page or document) with (reference or model or ideal) with correct\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/21 10:59
19	166	(extract\$4 or select\$4 or separat\$4) with (page or document) with (reference or model or ideal) with correct\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/21 11:00
20	2	(extract\$4 or select\$4 or separat\$4) with (page or document) with (reference or model or ideal) with correct\$4 with coincident	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/21 11:00
21	3	(extract\$4 or select\$4 or separat\$4) with (page or document) with (reference or model or ideal) with correct\$4 with common\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/21 11:42
22	166	(extract\$4 or select\$4 or separat\$4) with (page or document) with (reference or model or ideal) with correct\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/21 11:02
23	11	<pre>(extract\$4 or select\$4 or separat\$4) with (page or document) with ((reference or model or ideal) near4 (position or area or region))with correct\$4</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/21 11:06
24	246	<pre>(extract\$4 or select\$4 or separat\$4) with (page or document) with ((reference or model or ideal) near4 (position or area or region))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/21 11:43
25	131	((extract\$4 or select\$4 or separat\$4) near4 (block or region or area or position)) with (page or document) with ((reference or model or ideal) near4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/21 11:08
32	155	<pre>(position or area or region)) (extract\$4) with (page or document) with ((common or similar or "same") near4 (feature or object or number or mark\$4 or characteristic))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/21 11:51
33	34	<pre>(extract\$4) with (page or document) with ((common\$4) near4 (feature or object or number or mark\$4 or characteristic))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/21 11:58
34	53	<pre>(extract\$4) with (page or document) with ((common\$4) near4 (feature or object or number or mark\$4 or characteristic or text))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/21 12:02

35	0	(extract\$4) with (page or document) with	USPAT;	2004/05/21 12:03
		((common\$4) near4 (feature or object or	US-PGPUB;	
		number or mark\$4 or characteristic or text)) with correct\$4	EPO; JPO; DERWENT;	
		text/) with collecty4	IBM TDB	
36	0	(extract\$4) with (page or document) with	USPAT;	2004/05/21 12:03
		((common\$4) near4 (feature or object or	US-PGPUB;	
		number or mark\$4 or characteristic or	EPO; JPO;	
		text)) same correct\$4	DERWENT;	
	ا م	(outroat\$4) with (page or decument) with	IBM_TDB USPAT;	2004/05/21 12:05
37	0	(extract\$4) with (page or document) with ((common\$4) near4 (feature or object or	US-PGPUB;	2004/03/21 12:03
		number or mark\$4 or characteristic or	EPO; JPO;	
		text)) with (reference near4 (position or	DERWENT;	
		area or location or region))	IBM_TDB	
38	0	(one-add,), had (page on accumulate, had a	USPAT;	2004/05/21 12:06
		((common\$4) near4 (feature or object or	US-PGPUB;	
		number or mark\$4 or characteristic or text)) with (align\$4 or skew or offset)	EPO; JPO; DERWENT;	
		cext) with (alignes of skew of offset)	IBM TDB	
39	6	(extract\$4) with (page or document) with	USPAT;	2004/05/21 12:07
•		((common\$4) near4 (feature or object or	US-PGPUB;	·
		number or mark\$4 or characteristic or	EPO; JPO;	
		text)) and (align\$4 or skew or offset)	DERWENT;	
40	23	(extract\$4) with (page or document) with	IBM_TDB USPAT;	2004/05/21 12:09
40	23	((common\$4) near4 (feature or object or	US-PGPUB;	2004/03/21 12.09
	,	number or mark\$4 or characteristic or	EPO; JPO;	
	1	text)) and translat\$4	DERWENT;	
			IBM_TDB	
41	0	1 (USPAT;	2004/05/21 12:09
		((common\$4) near4 (feature or object or number or mark\$4 or characteristic or	US-PGPUB; EPO; JPO;	
		text)) same correct\$4	DERWENT;	
			IBM TDB	
42	19	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPĀT;	2004/05/21 12:18
		((common\$4) near4 (feature or object or	US-PGPUB;	
		number or mark\$4 or characteristic or	EPO; JPO;	
		text)) and correct\$4	DERWENT; IBM TDB	
43	8	(extract\$4) with (page or document) with	USPAT;	2004/05/21 12:26
		((common\$4) near4 (feature or object or	US-PGPUB;	
		number or mark\$4 or characteristic or	EPO; JPO;	
		text)) and ((correct\$4 or register) near4	DERWENT;	
44	0	(page or document)) 382/294.ccls. and (extract\$4) with (page	<pre>IBM_TDB USPAT;</pre>	2004/05/21 12:26
11		or document) with ((common\$4) near4	US-PGPUB;	2004/05/21 12.20
		(feature or object or number or mark\$4 or	EPO; JPO;	
		characteristic or text)) and ((correct\$4	DERWENT;	
4.5		or register) near4 (page or document))	IBM_TDB	0004/05/01 10 55
45	0	382/294.ccls. and (extract\$4) with (page or document) with ((common\$4) near4	USPAT; US-PGPUB;	2004/05/21 12:26
		(feature or object or number or mark\$4 or	EPO; JPO;	
		characteristic or text))	DERWENT;	
			IBM_TDB	
46	12	1	USPAT;	2004/05/21 12:29
•		or document)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
47	67154	(extract\$4) with (page or document or	USPAT;	2004/05/21 12:29
		number)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
48	454	(extract\$4) with (page near4 number)	IBM_TDB USPAT;	2004/05/21 12:29
.0	124	(cheracet) with (page heart humber)	US-PGPUB;	2004/05/21 12.29
			EPO; JPO;	
			DERWENT;	
			IBM TDB	<u> </u>

			_	
49	77948	(extract\$4) with ((page near4 number) or	USPAT;	2004/05/21 12:31
		keyword or text or word or feature or	US-PGPUB;	
	1	object)	EPO; JPO;	
			DERWENT;	
	!	l	IBM_TDB	
50	592	(extract\$4) with ((common\$4)near4((page	USPAT;	2004/05/21 12:32
		near4 number) or keyword or text or word	US-PGPUB;	
		or feature or object))	EPO; JPO;	
			DERWENT;	
		(IBM_TDB USPAT;	2004/05/21 12:34
51	1	(extract\$4) with ((common\$4) near4((page	1	2004/05/21 12:34
		near4 number) or keyword or text or word or feature or object))with (correct\$4 with	US-PGPUB; EPO; JPO;	
		position)	DERWENT;	
		position,	IBM TDB	
52	8	(extract\$4) with ((common\$4)near4((page	USPĀT;	2004/05/21 12:36
J2	"	near4 number) or keyword or text or word	US-PGPUB;	
		or feature or object)) with correct\$4	EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
53	1	(extract\$4) with ((common\$4) near4((page	USPAT;	2004/05/21 12:36
		near4 number) or keyword or text or word	US-PGPUB;	
		or feature or object)) with correct\$4 and	EPO; JPO;	
		(document or page or sheet or book)	DERWENT;	
			IBM_TDB	
55	0		USPAT;	2004/05/21 12:38
		near4 number) or keyword or text or word	US-PGPUB;	
		or feature or object)) with document with	EPO; JPO;	
		position	DERWENT;	
			IBM_TDB	
54	50		USPAT;	2004/05/21 12:41
•		near4 number) or keyword or text or word	US-PGPUB;	
		or feature or object)) with document	EPO; JPO;	
			DERWENT;	
		4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	IBM_TDB	2004/05/21 12 42
56	1	(extract\$4) with ((common\$4) near4((page	USPAT;	2004/05/21 12:42
•		near4 number) or keyword or text or word	US-PGPUB;	
		or feature or object)) with document with	EPO; JPO; DERWENT;	
		(area or region or position or location)	IBM TDB	
57	0	(extract\$4) with ((common\$4)near4((page	USPAT;	2004/05/21 12:42
3,	"	near4 number) or text or word or feature	US-PGPUB;	2001, 00, 21 12.12
	1	or object)) with document with (area or	EPO; JPO;	
		region or position or location)	DERWENT;	
			IBM TDB	
58	436	(extract\$4) with ((common\$4)near4(area or	USPAT;	2004/05/21 12:59
		region or position or location))	US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
59	16		USPAT;	2004/05/21 12:44
		region or position or location))with	US-PGPUB;	
		document	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	0004/05/04 15 15
60	19		USPAT;	2004/05/21 12:47
		region or position or location or	US-PGPUB;	
		block)) with document	EPO; JPO;	
		·	DERWENT;	
61	-	(outracts) with ((commons))	<pre>IBM_TDB USPAT;</pre>	2004/05/21 12:48
61	3	<pre>(extract\$4) with ((common\$4)near4(block))with document</pre>	US-PGPUB;	2004/05/21 12:48
		DIOCK//WICH GOOGHERE	EPO; JPO;	
			DERWENT;	
			IBM TDB	,
66	1	11282959.pn.	JPO JPO	2004/05/21 12:58
67	1 2	·	USPAT;	2004/05/21 12:38
)	2	region or position or location)) with	US-PGPUB;	2004,03/21 13.01
		collat\$4	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	<u> </u>	<u> </u>		·

			,	
68	9	(extract\$4) with ((common\$4)near4(area or	USPAT;	2004/05/21 13:06
		region or position or location or feature	US-PGPUB;	
		or object or characteristic)) with collat\$4	EPO; JPO;	
			DERWENT;	
			IBM TDB	
69	40	(extract\$4) with ((common\$4 or	USPĀT;	2004/05/21 13:11
0,	1	"same") near4 (area or region or position or	US-PGPUB;	2004/05/21 15.11
	Į.			
		location or feature or object or	EPO; JPO;	
		characteristic))with collat\$4	DERWENT;	
			IBM_TDB	
70	917	coincident with position with reference	USPAT;	2004/05/21 13:12
			US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
71	20	coincident with position with reference	USPAT;	2004/05/21 13:16
' -	20	with document	US-PGPUB;	2004/05/21 15:10
		with document		
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
72	68	(reference or model or ideal)near4	USPAT;	2004/05/21 13:19
		(position or area) with document with	US-PGPUB;	
		(alignment or skew or register\$4)	EPO; JPO;	
		j,	DERWENT;	
			IBM TDB	
73	70	(reference or model or ideal)near4	USPAT;	2004/05/21 13:21
' 3	/ 0	·	US-PGPUB;	2004/03/21 13:21
		(position or area) with document with		
		(alignment or skew or register\$4 or	EPO; JPO;	
,		centering)	DERWENT;	
			IBM_TDB	
74	2	(reference or model or ideal)near4	USPAT;	2004/05/21 13:23
]		(position or area) with document with	US-PGPUB;	
		(alignment or skew or register\$4 or	EPO; JPO;	
		centering) with pixel	DERWENT;	
		Johnson Famor	IBM TDB	
75	23493	extract\$4 with block	USPAT;	2004/05/21 13:23
' 3	23433	exclacep4 with block	US-PGPUB;	2004/05/21 15:25
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
76	379	extract\$4 with block with document	USPAT;	2004/05/21 13:23
	•		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
77	7	extract\$4 with block with document with	USPAT;	2004/05/21 13:24
' '	1	common\$4	US-PGPUB;	2001/00/21 15.24
		FYITOIIUIO	1	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
78	18	extract\$4 with (block or area or region)	USPAT;	2004/05/21 13:27
		with document with common\$4	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
79	114461	reference near4 position	USPAT;	2004/05/21 13:27
1 -		poweren	US-PGPUB;	-001,00/21 13.27
]				
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
80	994	(reference near4 position) with document	USPAT;	2004/05/21 13:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
81	30	(reference near4 position) with document	USPAT;	2004/05/21 13:40
~ -	""	with (match\$4 or coincident)	US-PGPUB;	2004/05/21 15.40
		with (watchis of collicident)		
			EPO; JPO;	
			DERWENT;	
			IBM TDB	l .

			҉.	
82	7261	document with (match\$4 or coincident)	USPAT;	2004/05/21 13:40
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	·
83	105	document with (match\$4 or coincident) with	USPAT;	2004/05/21 13:41
		pixel	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/05/04 40 40
84	11	document with (match\$4 or coincident) with pixel with reference	USPAT; US-PGPUB;	2004/05/21 13:42
		pixel with leference	EPO; JPO;	
			DERWENT;	
			IBM TDB	
85	1211	(match\$4 or coincident) with pixel with	USPAT;	2004/05/21 13:43
		reference	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
86	63	(coincident) with pixel with reference	USPAT;	2004/05/21 13:45
		(cornerdency with pixel with reference	US-PGPUB;	2004/03/21 13.43
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
87	9	(earners, mann france mann (annual	USPAT;	2004/05/21 13:47
		near4 position)	US-PGPUB; EPO; JPO;	
			DERWENT:	
			IBM TDB	
88	9	((coincident) with block) with (reference	USPĀT;	2004/05/21 13:49
ļ		near4 position)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
89	783752	document or page	IBM_TDB USPAT;	2004/05/21 13:49
09	103732	document of page	US-PGPUB;	2004/05/21 13:49
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
90	783752	document or page	USPAT;	2004/05/21 13:49
			US-PGPUB; EPO; JPO;	
Ĭ			DERWENT;	
			IBM TDB	
91	13316	(document or page) with center	USPAT;	2004/05/21 13:50
			US-PGPUB;	
	1		EPO; JPO;	
1			DERWENT; IBM TDB	
92	13344	(document or page) with center\$4	USPAT;	2004/05/21 13:50
	10011	, and an end of page, when content i	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		/4	IBM_TDB	0004/05/03 33 55
93	492	(document or page) with center\$4 with reference	USPAT; US-PGPUB;	2004/05/21 13:51
		Lororouge	EPO; JPO;	
1		· ·	DERWENT;	
	1		IBM TDB	'
94	5		USPĀT;	2004/05/21 14:00
		reference with pixel	US-PGPUB;	[
1			EPO; JPO; DERWENT;	
			IBM TDB	
95	6	5631747.URPN.	USPAT	2004/05/21 13:55
96	5	("5001574" "5146343" "5223939"	USPAT	2004/05/21 13:57
1		"5231516" "5398289").PN.		
97	6	5631747.URPN.	USPAT	2004/05/21 13:58

			_	
98	1275	(reference near4 position) with (document or page)	USPAT; US-PGPUB; EPO; JPO;	2004/05/21 14:01
			DERWENT; IBM_TDB	
99	151	<pre>(reference near4 position) with (document or page) with (shift\$4 or translat\$4 or move\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/21 14:03
100	1	(reference near4 position) with (document or page) with (shift\$4 or translat\$4 or move\$3)with pixel	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/21 14:03
101	6351	extract\$4 with (block or area or region or section) with (common\$4 or "same")	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/21 14:05
100	1014		DERWENT; IBM_TDB	2004/05/21 14:04
102	1214	extract\$4 with (block or area or region or section) with (common\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/21 14:04
103	237	extract\$4 with (pixel near4(block or area or region or section)) with (common\$4 or "same")	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/21 14:06
104	8	extract\$4 with (pixel near4(block or area or region or section)) with (common\$4 or "same")with document	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/21 14:07
105	3149	extract\$4 with (pixel near4(block or area or region or section))	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/05/21 14:07
106	81	extract\$4 with (pixel near4(block or area or region or section)) with document	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/21 14:08
107	. 1	extract\$4 with (pixel near4(block or area or region or section)) with document with (align\$4 or register\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/21 14:09
108	3	extract\$4 with (pixel near4(block or area or region or section)) with document with correct\$4	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/21 14:11
109	238	382/295.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/21 14:11
110	70	382/295.ccls. and extract\$4	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/05/21 14:11
111	14	382/295.ccls. and (extract\$4 with reference)	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/21 14:40
			IBM TDB	

112	2261	(extract\$4 with reference) with (position or translate)	USPAT; 2004/05/21 14:32 US-PGPUB;
			EPO; JPO;
			DERWENT;
			IBM_TDB
113	220	,	USPAT; 2004/05/21 14:33
	:	or translate)same pixel	EPO; JPO;
			DERWENT;
			IBM_TDB
114	24	(USPAT; 2004/05/21 14:34
		or block))) with (position or	US-PGPUB;
		translate)same pixel	EPO; JPO; DERWENT;
			IBM TDB
115	20	382/295.ccls. and (extract\$4 with	USPAT; 2004/05/21 14:40
		(reference or model or ideal))	US-PGPUB;
	1		EPO; JPO;
	1		DERWENT;
	1		IBM TDB